

Amendments to the Drawings:

The attached sheet of drawings includes changes to Figs. 1 and 2. This sheet, which includes Figs. 1 and 2, replaces the original sheet including Figs. 1 and 2. In Figs. 1 and 2, the previously omitted term "Prior Art" has been added.

REMARKS/ARGUMENTS

The Office Action mailed April 26, 2006, has been received and its contents carefully considered. Reconsideration and withdrawal of the outstanding rejections is respectfully requested in view of the foregoing amendments and the following remarks.

In response to the rejection to the drawings, attached are amendment Figs. 1 and 2, labeled "Prior Art" as requested by the Examiner. If required, a complete set of formal drawings will be submitted upon allowance of the application.

The objections to the specification have been addressed by this amendment, taking into account the Examiner's helpful suggestions. Accordingly, withdrawal of the objection to the specification is respectfully requested.

The objections to the claims have also been attended to by this amendment, taking into account the Examiner's helpful suggestion. It is respectfully requested that the claims are in full compliance with 35 U.S.C. § 112, and therefore withdrawal of the objection to claims 1-5, and the rejection of claim 4, are both earnestly solicited.

It is noted that no rejection to the claims was made based on any prior art, including U.S. Patent No. 5,739,698 which was referenced in the present Office Action. Also, the return of an initialed Form 1449, listing art cited by Applicant, is also noted with appreciation.

In view of the absence of any prior art rejection, it is believed that the claims are fully patentable over the art of record, and accordingly no further comment on the claimed invention as compared to the prior art is believed necessary at this time.

In view of the foregoing, reconsideration and allowance of this application are believed in order, and such action is earnestly solicited. Should the Examiner believe that a telephone

conference would be helpful in expediting prosecution of the application; the Examiner is invited to telephone the undersigned at 202-861-1696.

Respectfully submitted,
Baker & Hostetler LLP

A handwritten signature in black ink, appearing to read 'Z Jennings', is written over a horizontal line.


Leo J. Jennings
Reg. No. 32,902

Dated: September 26, 2006
Washington Square, Suite 1100
1050 Connecticut Avenue, N.W.
Washington, D.C. 20036-5304
Telephone: 202-861-1629
Facsimile: 202-861-1783



U.S. Patent Application No. 10/525,227
Title: Harmonic Diagnosing Method for Electric
Facility
Inventor(s): Hiroshi KOH
Annotated Sheet Showing Changes


Fig. 1



PRIOR ART

"Prior Art" added

Fig. 2



PRIOR ART

* Prior art" added.